P & D Coachworks Pty Ltd - Standard Specifications

| FRAME: | Full galvanized frame construction - 1250mm floor height |
|--------------------------|---|
| EXTERIOR PANELING: | Fibreglass composite side panels; Aluminium skirt panels; Front, rear and roof in |
| | reinforced moulded fibreglass; Rubber moulding to wheel arch surrounds; Insulation in |
| | roof and engine compartment |
| ENTRANCE DOOR: | Air operated glideaway style with safety door edge and door control fitted to drivers |
| | console - Door lock fitted |
| WINDOWS: | Ten top locking hoppers and two fixed glass saloon windows with Driver's sliding window |
| WINDSCREENS: | Two piece curved screens in clear laminated safety glass |
| ROOF HATCHES: | Two four-way emergency exit hatches to roof |
| BUMPER BARS: | Fibreglass front and rear bumper bars - Rear bumper bar with reflective decals |
| MUD FLAPS: | Heavy duty mud flaps fitted to front and rear wheels |
| FRONT & REAR BODY SKIDS, | TOWING EYE: |
| HEADLIGHT PROTECTORS: | |
| PAINT: | Exterior painted white in two pack paint |
| MIRRORS: | Two large exterior mirrors and one interior mirror fitted to centre windscreen pillar |
| STEP WELL: | Heavy duty steel with vinyl to sides and risers, and heavy duty pirelli tread to steps |
| FLOOR: | Resin bonded hardwood flooring bonded and screwed to frame |
| FLOOR COVERING: | Vinyl |
| INTERIOR PANELING: | Side linings & Centre Ceiling - 3mm Alupanel Composite Aluminium Paneling |
| | Cants, front and rear headers covered with Vinyl |
| DRIVERS SUSPENSION SEAT: | Isringhausen suspension seat with headrest upholstered with black cloth |
| DRIVERS SEAT BELT: | Lap type seat belt to ADR regulations |
| DRIVERS HEATER DEMISTER: | Heater demister to supply heated air to windscreens, drivers feet and drivers side |
| | window. Fresh air vent to drivers feet |
| SUN VISOR: | Roller pull down style to offside & nearside windscreen, and driver's window |
| DRIVERS FAN: | Fasco two speed fan |
| FIRE EXTINGUISHER: | 2Kg Dry chemical fire extinguisher mounted to front saloon |
| DASH: | Padded Grey Vinyl |
| INTERIOR LIGHTING: | One step light to entrance steps |
| | One drivers light |
| | One engine bay light |
| | Three saloon lights |
| RADIO/SINGLE CD PLAYER: | Clarion Radio/Single Compact Disc with Seven speakers, USB and Auxillary Input |
| REAR VEHICLE LIGHTS: | LED rear & side marker lamps |
| TWO WAY RADIO: | Cable ran in roof |
| 12 VOLT OUTLET: | 12 Volt outlet for mobile phone charger |
| WARRANTY: | Body warranty extends for twelve months on workmanship and components |
| | manufactured by P & D Coachworks. All other components and parts supplied |
| | will only be that extended by the supplier or component manufacturer's conditions |
| | of warranty. |
| Customer Signa | ature: Date: Date: |

P & D Coachworks Pty Ltd - Interior Options

Qty Air Conditioning & Heaters

| Carrier - Avant Classic 1320 Heat/Cool |
|---|
| Denso - LD8i Heat/Cool |
| Sigma Coach Air - XP Heat/Cool |
| Sigma Coach Air - XT352 Heat/Cool |
| Spectra Thermo King - KRS Heat/Cool |
| Spectra Thermo King - LRT3 Heat/Cool |
| Additional Alternator to Suit Hino Chassis |
| Standard Fixed Vents |
| Individual Vents - Per Passenger |
| Individual Vents and Reading Light - Per Passenger |
| Individual Vents, Reading Light and Speaker - Per Passenger |
| Two Floor Heaters |
| Provision In Roof Frame For A/C - To Allow for Retrofitting at a Later Date |

Qty Audio Visual

Qty Destinations & Schedule F

| Centre Destination Box |
|--|
| Nearside or Offside Destination Box |
| Hannover Led (OL012A) N/S or O/S Electronic Destination |
| Electronic Centre Destination - Hannover / Southport Engineering |
| Schedule F - Centre Destination, Handrails, Stanchions and Bus Stopping Sign |
| Schedule F with Southport Engineering Led Electronic Destination Unit - SP22-202 |

P & D Coachworks Pty Ltd - Interior Options

Continued....

Qty Interior Linings - Dash, Side Panels, Curtains, Sunvisors and Cupboards

| Cloth Ceiling 12m in Lieu of Lamipanel |
|---|
| Cloth Side Walls in Lieu of Lamipanel |
| Curtain Rods Stainless Steel - Rods Only - Per Window |
| Curtains - Including Rods - Per Window |
| Curtains Pleated (Including Rods) - Per Window |
| Drivers Cupboard - Large, Offside Mounted Through to the Windscreen |
| Drivers Cupboard - Mounted within the Rack |
| Drivers Cupboard - Offside, Mounted Above the Driver |
| Hand Grab Rails - Stainless Steel - Offside Mounted |
| Hand Grab Rails - Stainless Steel - Nearside Mounted |
| Metropolitan Dash with a Built in Cash Box |
| Parcel Racks - Cloth / Vinyl |
| Cloth Interior Lining to Front & Rear Header and Cant Panels |
| Single Electric Sunvisor - In lieu of Manual |
| |

Qty Seats

| | Drivers Seat - NTS | | |
|--|---|--|--|
| | Swivel Base for NTS Seat | | |
| | Drivers Seat Isri 6800/337 | | |
| | Drivers Seat Supplied with chassis Drivers Seat Upholstered to Suit Saloon Seating | | |
| | | | |
| | Styleride Seating 'Orion Model' Fixed Coach Seating with Lap/Sash Seat Belts | | |
| | Upholstered in Cloth (Reatex / Holdsworth) | | |
| | Styleride Seating 'Premier Series' Metropolitan Saloon Seating | | |
| | Upholstered in Polyester Cloth (Reatex / Holdsworth / Warwick Polyester Ranges) | | |
| | Grab Handles Fitted to Passenger Seating - Per Seat | | |

Qty Miscellaneous Interior Options

| Cash Box With Storage Locker |
|--|
| Cup Holder |
| Drivers Barricade |
| Drivers Footwell Fan |
| Fire Extinguisher |
| First Aid Box |
| Fit Hot Water Urn |
| Leather Head Rest Covers - Per Passenger |
| Mount Ticket Machine Stand on Dash |
| Mirror Over Entrance Door |
| Tachograph |
| Tacholink Millennium (Circuitlink) |
| Urn - Hot Water |
| Waste Bin Beneath Dash |
| |

P & D Coachworks Pty Ltd - Exterior Options

Qty Chassis Extensions, Floor Heights & Bumper Bars

| Chassis Extension - Straight Rail / Spaceframe | |
|--|--|
| Floor Height in lieu of Standard 1250mm - 1300, 1350, 1400, 1450, 1500 | |
| Aluminium Bull Bar | |
| Aluminium Front Bumper / Nudge Bar | |
| Aluminium Front Bumper Bar | |
| Aluminium Nudge Bar | |
| Aluminium Rear Bumper Bar | |

Qty Mirrors

| Coach Mirrors |
|---------------------------------|
| Coach Mirrors - Heated |
| Coach Mirrors - Heated & Remote |
| Coach Mirrors - Remote |
| Standard Mirrors - Heated |

Qty Lugguage and Doors

| Nearside Bin with 1 Door - Bin Light above the Door |
|--|
| Nearside Bin with 2 Doors - Bin Light above each Door |
| Nearside Bin with 3 Doors - Bin Light above each Door |
| Through bins with 1 Offside & 1 Nearside Doors - Bin Light above each Door |
| Through bins with 1 Offside & 2 Nearside Doors - Bin Light above each Door |
| Through bins with 2 Offside & 2 Nearside Doors - Bin Light above each Door |
| Through bins with 2 Offside & 3 Nearside Doors - Bin Light above each Door |
| Through bins with 3 Offside & 3 Nearside Doors - Bin Light above each Door |
| Lift Up Wheel Arch Doors (2 Doors) - Front |
| Lift Up Wheel Arch Doors (2 Doors) - Rear |
| Fuel Tank Access Door |
| Pressurised Bin - Fan |
| |

Qty Motor Air Intakes

| Ducted to the Pillar | |
|----------------------|--|
| Ducted to the Roof | |

Qty School Bus Regulations

Qty Windows and Windscreens

| F | Flat Windscreens |
|---|---|
| [| Dark Grey Tint to Saloon windows |
| F | Fixed Glass in Lieu of Hopper Windows - Deduction per Fixed Glass Panel |
| 5 | Sliding Windows in lieu of Hoppers |
| F | Folding Windscreen Protector |

Qty Miscellaneous Exterior Options

| Additional Roof Hatch |
|---|
| Fleet Colours |
| Rear Towing Eye & Longer Front Towing Eye |
| Stainless Steel Frame |
| Spare Wheel Carrier |
| Tool Box |
| Tow Bar |